

I. Amendments to the Claims

This listing of claims replaces without prejudice all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A composition, comprising:

at least one metalworking fluid;

0.25 wt. % of the butylated diphenylamine; and

0.25 wt. % of the 1,3,5-tris(2-hydroxyethyl)-S-triazine;

wherein the butylated diphenylamine and the 1,3,5-tris(2-hydroxyethyl)-S-triazine are present in amounts sufficient to reduce oxidative degradation by achieving a bomb life of at least 75 minutes in accordance with ASTM D2272 and sufficient to reduce biological degradation by delaying bacteria onset by at least 18 weeks in accordance with ASTM 3946.

2-40. (Canceled)

41. (Currently Amended) A composition, comprising:

at least one metalworking fluid;

0.25 wt. % of the nonylated diphenylamine; and

0.25 wt. % of the 1,3,5-tris(2-hydroxyethyl)-S-triazine;

wherein the nonylated diphenylamine and the 1,3,5-tris(2-hydroxyethyl)-S-triazine are present in amounts sufficient to reduce oxidative degradation by having a total acid number of about 0.6 after 312 minutes of aging in accordance with ASTM D943 and sufficient to reduce biological degradation by delaying bacteria onset by at least 18 weeks in accordance with ASTM 3946.

42-43. (Currently Amended)